



P.O. Box: 48577, DUBAI, U.A.E.

Tel: 04 267 8866, Fax: 04 267 8855

P.O. Box: 457, SHARJAH, U.A.E.

Tel: 06 565 8866, Fax: 06 565 6699

E-mail: info@zulekhahospitals.com • Website: www.zulekhahospitals.com

ص.ب: ٤٨٥٧, دبى, ا.ع.م.
هاتف: ٠٤ ٢٦٧ ٨٨٦٦, فاكس: ٠٤ ٢٦٧ ٨٨٥٥
ص.ب: ٤٥٧, الشارقة, ا.ع.م.
هاتف: ٠٦ ٥٦٥ ٨٨٦٦, فاكس: ٠٦ ٥٦٥ ٦٦٩٩

مستشفى زلخة

لأن صحتك غالبة



Zulekha Hospital
Your Health Matters

SPUTUM COLLECTION

- Use sterile container provided by the laboratory.
- First rinse mouth with plain water.
- Do not use any antiseptic mouth wash.
- In sitting position encourage deep coughing.
- Spit directly into the opened container.
- Take care not to spill over the rim of the container.
- If the sputum is thick and not coming out, take steam inhalation for 5-10 minutes and then try to cough out the sputum.
- Avoid putting saliva in the bottle.
- Keep the bottle closed in between collection.
- The sputum should be brought to the laboratory as soon as possible, preferable within one hour along with a valid request.

Note: Insufficient Quantity, soiled containers, leaking containers and improperly collected samples or only saliva are not acceptable.

جمع عينة البصاق

- استخدم عبوة جمع العينات المعقمة المعلبة لك من المختبر.
- اغسل فمك من الداخل بماء نظيف نقى.
- لا تستخدم أي من أنواع غسول الفم قبل جمع العينة.
- وضعية الجلوس أكثر الوضعيات تحفيزاً للسعال القوي.
- ابصق فوراً داخل العبوة المعقمة المعلبة لك.
- تأكد من عدم البصق على أطراف العبوة.
- إذا كان البصاق جامداً استنشق بخار الماء لمدة ١٠ - ١٥ دقيقة ثم أعد تكرار المحاولة مرة أخرى.
- تجنب وضع اللعب مع البصاق داخل العبوة.
- أغلق العبوة في الوقت الفاصل بين جمع العينات.
- يجب إحضار العينة إلى المختبر بأسرع وقت بعد جمعها في العبوة، بوقت لا يتجاوز ساعة واحدة.

ملاحظة: لا يتم قبول العينات غير المستوفية الشروط المطلوبة لأن تكون كمية العينة أقل من الازمة، أو العبوة غير صالحة، أو العينة متسربة خارج العبوة أو مختلطة بالبصاق.