



Zulekha Hospital
Your Health Matters

Zulekha Hospital offers latest treatment for varicose veins

Coverage report



Publication	Type	Language	Date	Circulation/ UVM	AVE
Gulf News	Print	English	10 January 2018	93,068	\$ 2000
Gulf News	Online	English	09 January 2018	3,512,789	\$ 3,250
WAM	Online	English	09 January 2018	NA	\$ 3,250
Mena FN	Online	English	09 January 2018	489,388	\$ 3,250
Gulf Today	print	English	04 January 2018	49,500	\$ 4000
Gulf Today	Online	English	04 January 2018	164,191	\$ 3,250
Health Magazine	Online	English	03 January 2018	34,898	\$ 3,250
Day of Dubai	Online	English	04 January 2018	NA	\$ 3,250
Faselah.net	Online	Arabic	04 January 2018	10,709	\$ 3,250
WAM	Online	Arabic	09 January 2018	NA	\$ 3,250
Al Press	Online	Arabic	08 January 2018	10,940	\$ 3,250
Total (11 clips)					\$ 35,250



Zulekha Hospital
Your Health Matters

English Print



Gulf News
UAE /Daily/ circulation: 93,068
10 January 2018

PR Value: \$2,000

Hospital offers laser treatment for varicose veins

Minimally invasive and painless treatment can be completed in 30 minutes to an hour

Sharjah: The latest Endovenous Laser Treatment (ELT) for varicose veins is now being offered by Zulekha Hospital to permanently alleviate the discomfort caused to patients by the condition.

Zulekha Hospital has successfully treated a number of patients with the minimally invasive and painless ELT which can be completed in 30 minutes to an hour without any reoccurrence of the condition. Patients can be admitted as out-patients for the procedure and walk out of hospital within the same day.

Varicose veins is growing in prevalence in the UAE, and worldwide it is estimated to affect around 20 per cent of all adults at some point in their lives, according to the US National Library of Medicine.

The condition, if untreated at an early stage, can cause painful and debilitating effects from swelling in the legs.

Dr. Priya Devadas, Specialist General Surgeon, said previously, surgeons used the open Trendelenburg procedure to treat varicose veins where an incision is made on the thigh and the complete vein is removed, which can be painful and required the patient to be in the hospital for one or two days.

"Now, with the latest ELT we are able to treat the veins with this minimally invasive painless procedure that can be done as an outpatient surgery. It is great to see the instant relief felt by patients like Mr Khan who had been suffering such great discomfort from varicose veins."



Image Credit: Gulf News archives

Islam Gul Hakeem Khan, 41, was treated at Zulekha Hospital Sharjah after his mobility was increasingly being affected by aggravated pain in his legs, said Devadas, who diagnosed him with multiple dilated veins in his right and left lower limbs and recommended ELT be performed.


In women, it is most commonly noticed that the first occurrence of varicose veins is during pregnancy. In a recent case at Zulekha Hospital Sharjah, a 35-year-old woman was successfully treated with ELT after she suffered varicose veins following four pregnancies.

If left unattended, varicose veins can lead to multiple risks including bursting, internal bleeding due to minor traumas, colour changes, ulcer formations, chronic pain, deformity, difficulty in walking and continuous loss of blood.



Gulf Today
UAE /Daily/ circulation: 49,500
4 January 2018

PR Value: \$4,000



Radiologist Sonali Mathur with Islam Gul Hakeem Khan.

Sharjah hospital offers latest treatment for varicose veins

BY A STAFF REPORTER

SHARJAH: Zulekha Hospital is offering the latest Endovenous Laser Treatment (ELT) for varicose veins to permanently alleviate the discomfort caused to patients by this common condition that has a growing prevalence in the UAE.

Worldwide, it is estimated that around 20% of all adults get varicose veins at some point in their lives, according to the US National Library of Medicine. Although prevalent in older people, if untreated at an early stage the condition can cause painful and debilitating effects from swelling in the legs.

Zulekha Hospital has successfully treated a number of patients with the minimally invasive and painless ELT which can be completed in 30 minutes

to an hour without any recurrence of the condition. Patients can be admitted as out-patients for the procedure and walk out of hospital within the same day.

Forty-one-year-old Islam Gul Hakeem Khan was treated at Zulekha Hospital Sharjah after his mobility was increasingly being affected by aggravated pain in his legs. He was diagnosed by Specialist General Surgeon Dr Priya Devadas with multiple dilated veins in his right and left lower limbs who recommended and successfully performed ELT with assistance from Radiologist Dr Sonali Mathur and Dr Dhanshri Samadhan Patil.

Dr Devadas explains, "Previously, surgeons used the open Trendelenburg procedure to treat varicose veins where an incision is made on the thigh and the complete vein is removed. It can

be painful and required the patient to be in hospital for one or two days.

"Now, with the latest ELT we are able to treat the veins with this minimally invasive painless procedure that can be done as an out-patient surgery. It is great to see the instant relief felt by patients like Mr Khan who had been suffering such great discomfort from varicose veins."

In women, it is most commonly noticed that the first occurrence of varicose veins is during pregnancy. In a recent case at Zulekha Hospital Sharjah, a 35-year-old woman was successfully treated with ELT after she suffered varicose veins following four pregnancies.

The condition can also be a combination of two factors, hormone-related changes in the body's tissue and weight gain which makes it harder for the

blood in the leg veins to flow back to the heart properly. In some patients, being overweight also increases pressure on the legs and veins, which can increase the risk of varicose veins.

In the ultrasound-guided ELT a catheter bearing a laser fibre is inserted under ultrasound guidance into the great saphenous vein (GSV) or small saphenous vein (SSV) through a small puncture and the vein is obliterated. ELT is also used to treat haemorrhoids, fistula, and the pilonidal sinus disease. Very rare complications may include Deep Vein Thrombosis (DVT).

If left unattended, varicose veins can lead to multiple risks including bursting, internal bleeding due to minor traumas, colour changes, ulcer formations, chronic pain, deformity, difficulty in walking and continuous loss of blood.



Zulekha Hospital
Your Health Matters

English Online



Gulf News

[Link](#)

UAE / Online/Daily/ UVM: 3,512,789

9 January 2018

PR Value: \$3,250

Hospital offers laser treatment for varicose veins



Minimally invasive and painless treatment can be completed in 30 minutes to an hour

Sharjah: The latest Endovenus Laser Treatment (ELT) for varicose veins is now being offered by Zulekha Hospital to permanently alleviate the discomfort caused to patients by the condition.

Zulekha Hospital has successfully treated a number of patients with the minimally invasive and painless ELT which can be completed in 30 minutes to an hour without any reoccurrence of the condition. Patients can be admitted as out-patients for the procedure and walk out of hospital within the same day.

Varicose veins is growing in prevalence in the UAE, and worldwide it is estimated to affect around 20 per cent of all adults at some point in their lives, according to the US National Library of Medicine.

The condition, if untreated at an early stage, can cause painful and debilitating effects from swelling in the legs.

Dr. Priya Devadas, Specialist General Surgeon, said previously, surgeons used the open Trendelenburg procedure to treat varicose veins where an incision is made on the thigh and the complete vein is removed, which can be painful and required the patient to be in the hospital for one or two days.

"Now, with the latest ELT we are able to treat the veins with this minimally invasive painless procedure that can be done as an outpatient surgery. It is great to see the instant relief felt by patients like Mr Khan who had been suffering such great discomfort from varicose veins."

Islam Gul Hakeem Khan, 41, was treated at Zulekha Hospital Sharjah after his mobility was increasingly being affected by aggravated pain in his legs, said Devadas, who diagnosed him with multiple dilated veins in his right and left lower limbs and recommended ELT be performed.

In women, it is most commonly noticed that the first occurrence of varicose veins is during pregnancy. In a recent case at Zulekha Hospital Sharjah, a 35-year-old woman was successfully treated with ELT after she suffered varicose veins following four pregnancies.

If left unattended, varicose veins can lead to multiple risks including bursting, internal bleeding due to minor traumas, colour changes, ulcer formations, chronic pain, deformity, difficulty in walking and continuous loss of blood.



Zulekha Hospital
Your Health Matters

WAM

[Link](#)

UAE / Online/Daily/ UVM: NA

9 January 2018

PR Value: \$3,250



Tue 09-01-2018 15:53 PM

Zulekha Hospital offers treatment for varicose veins

SHARJAH, 9th January, 2018 (WAM) -- Zulekha Hospital has offered the latest Endovenous Laser Treatment, ELT, for varicose veins to permanently alleviate the discomfort caused to patients by this common condition that has a growing prevalence in the UAE.

Worldwide, it is estimated that around 20 percent of all adults get varicose veins, according to the US National Library of Medicine. Although prevalent in elder individuals, if untreated at an early stage, the condition can cause painful and debilitating effects from swelling in the legs.

Zulekha Hospital has successfully treated a number of patients with the minimally invasive and painless ELT, which can be completed in 30 minutes to an hour without any reoccurrence of the condition. Patients can be admitted as out-patients, and they can walk out of the hospital on the same day.



MENA FN

[Link](#)

UAE / Online/Daily/ UVM: 489,388

9 January 2018

PR Value: \$3,250

UAE- Zulekha Hospital offers treatment for varicose veins

Date
1/9/2018 7:58:34 AM

Like 8.4K Share

Tweet on Twitter

(MENAFN - Emirates News Agency (WAM))

SHARJAH, 9th January, 2018 (WAM) -- Zulekha Hospital has offered the latest Endovenous Laser Treatment, ELT, for varicose veins to permanently alleviate the discomfort caused to patients by this common condition that has a growing prevalence in the UAE.

Worldwide, it is estimated that around 20 percent of all adults get varicose veins, according to the US National Library of Medicine. Although prevalent in elder individuals, if untreated at an early stage, the condition can cause painful and debilitating effects from swelling in the legs.

Zulekha Hospital has successfully treated a number of patients with the minimally invasive and painless ELT, which can be completed in 30 minutes to an hour without any reoccurrence of the condition. Patients can be admitted as out-patients, and they can walk out of the hospital on the same day.

The Gulf Today
[Link](#)

UAE / Online/Daily/ UVM: 164,191
4 January 2018

PR Value: \$3,250

Sharjah hospital offers latest treatment for varicose veins

By a Staff Reporter

January 04, 2018

 Print

 Send to Friend



SHARJAH: Zulekha Hospital is offering the latest Endovenous Laser Treatment (ELT) for varicose veins to permanently alleviate the discomfort caused to patients by this common condition that has a growing prevalence in the UAE.

Worldwide, it is estimated that around 20% of all adults get varicose veins at some point in their lives, according to the US National Library of Medicine. Although prevalent in older people, if untreated at an early stage the condition can cause painful and debilitating effects from swelling in the legs.

Zulekha Hospital has successfully treated a number of patients with the minimally invasive and painless ELT which can be completed in 30 minutes to an hour without any reoccurrence of the condition. Patients can be admitted as out-patients for the procedure and walk out of hospital within the same day.

Forty-one-year-old Islam Gul Hakeem Khan was treated at Zulekha Hospital Sharjah after his mobility was increasingly being affected by aggravated pain in his legs. He was diagnosed by Specialist General Surgeon Dr Priya Devadas with multiple dilated veins in his right and left lower limbs who recommended and successfully performed ELT with assistance from Radiologist Dr Sonali Mathur and Dr Dhanashri Samadhan Patil.

Dr Devadas explains, "Previously, surgeons used the open Trendelenburg procedure to treat varicose veins where an incision is made on the thigh and the complete vein is removed. It can be painful and required the patient to be in hospital for one or two days.

"Now, with the latest ELT we are able to treat the veins with this minimally invasive painless procedure that can be done as an out-patient surgery. It is great to see the instant relief felt by patients like Mr Khan who had been suffering such great discomfort from varicose veins."

In women, it is most commonly noticed that the first occurrence of varicose veins is during pregnancy. In a recent case at Zulekha Hospital Sharjah, a 35-year-old woman was successfully treated with ELT after she suffered varicose veins following four pregnancies.

The condition can also be a combination of two factors, hormone-related changes in the body's tissue and weight gain which makes it harder for the blood in the leg veins to flow back to the heart properly. In some patients, being overweight also increases pressure on the legs and veins, which can increase the risk of varicose veins.

In the ultrasound-guided ELT a catheter bearing a laser fibre is inserted under ultrasound guidance into the great saphenous vein (GSV) or small saphenous vein (SSV) through a small puncture and the vein is obliterated. ELT is also used to treat haemorrhoids, fistula, and the pilonidal sinus disease. Very rare complications may include Deep Vein Thrombosis (DVT).

If left unattended, varicose veins can lead to multiple risks including bursting, internal bleeding due to minor traumas, colour changes, ulcer formations, chronic pain, deformity, difficulty in walking and continuous loss of blood.

Day of Dubai

Link

UAE / Online/Daily/ UVM: n/a

4 January 2018

PR Value: \$3,250

Zulekha Hospital Offers Latest Treatment for Varicose Veins

04 January 2018 - (10:55)    



Zulekha Hospital is using the latest Endovenous Laser Treatment (ELT) for varicose capillaries to completely alleviate the pain triggered to people by this usual problem that has a growing prevalence in the UAE.

Worldwide, it is approximated that around 20% of all adults get varicose veins eventually in their lives, according to the United States National Library of Medicine. Although widespread in older people, if neglected at a beginning the condition could trigger excruciating and incapacitating impacts from swelling in the legs.

Zulekha Hospital facility has efficiently treated a variety of individuals with the minimally intrusive and pain-free ELT which can be completed in HALF AN HOUR to a hr without any reoccurrence of the problem. Patients can be confessed as out-patients for the procedure and walk out of health center within the exact same day.

41 years of age Mr. Islam Gul Hakeem Khan was treated at Zulekha Hospital Sharjah after his mobility was increasingly being affected by exacerbated discomfort in his legs. He was diagnosed by Expert General Surgeon Dr Priya Devadas with numerous dilated blood vessels in his right and left reduced limbs who advised and efficiently executed ELT with assistance from Radiologist Dr. Sonali Mathur and Dr. Dhanashri Samsadhan Patil. Dr. Devadas explains, "Previously, specialists utilized the open Trendelenburg treatment to deal with varicose blood vessels where an incision is made on the thigh and the full vein is gotten rid of. It could be painful and called for the individual to be in the medical facility for 1 or 2 days.

"Now, with the current ELT we are able to deal with the veins with this minimally invasive pain-free procedure that can be done as an out-patient surgery. It is fantastic to see the immediate relief really felt by clients like Mr. Khan who had been enduring such wonderful pain from varicose veins.

In women, it is most frequently noticed that the first occurrence of varicose veins is during pregnancy. In a current situation at Zulekha Health center Sharjah, a 35 year old woman was successfully treated with ELT after she endured varicose capillaries following four maternities.

The problem could also be a combination of 2 aspects - hormone-related changes in the body's tissue and weight gain making it harder for the blood in the leg veins to recede to the heart effectively. In some clients, being obese likewise boosts pressure in the legs and blood vessels, which could increase the threat of varicose capillaries.

In the ultrasound-guided ELT a catheter birthing a laser fiber is inserted under ultrasound advice right into the great saphenous vein (GSV) or small saphenous capillary (SSV) through a tiny puncture and the vein is wiped out. ELT is also made use of to treat hemorrhoids, fistula, and the pilonidal sinus illness. Very rare problems could include Deep Blood vessel Thrombosis (DVT).

If left unattended, varicose veins can lead to several threats consisting of rupturing, inner blood loss because of small injuries, color changes, abscess formations, chronic pain, deformity, trouble in walking and constant loss of blood.



Zulekha Hospital
Your Health Matters

Health Magazine

[Link](#)

UAE / Online/Daily/ UVM: 34,898

3 January 2018

PR Value: \$3,250

Zulekha Hospital offers latest treatment for varicose veins

03 January 2018 · Posted in:



[Read More](#)



Zulekha Hospital
Your Health Matters

Arabic Online



WAM

[Link](#)

UAE / Online/Daily/ UVM: NA
9 January 2018

PR Value: \$3,250



الثلاثاء 9 يناير ٢٠١٨ - ١١:٠٩ م

مستشفى زليخة يقدم العلاج الأحدث لحوالي الأوردة

شارفه في 9 يناير / تم / كشف مستشفى زليخة عن يوم علاج الليزر الوريدي الداخلي وهو الحل الأحدث والأفضل لتخفيف أعراض مشكلة الأوردة المتوسعة "الحوالي" الآخذة في الانتشار في الإمارات والعالم. وتشير إحصائيات الجمعية الوطنية لعلم الطب في الولايات المتحدة الأمريكية إلى إصابته ما يقارب 20% من البالغين بحوالي الأوردة عالمياً.

وعلى الرغم من ارتباط هذه المشكلة بالقدم بالعمى إلا أنها وفي حال لم يتم اتخاذ التدابير العلاجية في مرحلتها مبكراً، ستترافق مع أعراض مؤلمة وضعف ناتج عن تورم وتلفخ المفاصل.

ويجسّد مستشفى زليخة في علاج عدد من المرضى باستخدام الليزر الوريدي الداخلي والذي يشتمل إجراء جراحياً محدوداً غير مؤلم ويستغرق ما بين 30 دقيقة حتى ساعة فقط ولا يستوجب الخضوع لجلسات أخرى.

وقالت الدكتورة بريا ديمار اختصاصية الجراحة العامة في المستشفى إن الجراحين اعتمدوا سابقاً إجراء "برندفليخ" الممتدح لعلاج حوالي والتي يقوم على إحداث شق في الفخذ واستئصال كامل الوريد إلا أنه إجراء مؤلم للمريض ويتطلب البقاء في المستشفى ليوم أو يومين. أما اليوم فيتيح علاج حوالي بالليزر فرصة علاج الأوردة بإجراء جراحي بالحد الأدنى دون ألم ويمكن القيام به في العيادات الخارجية.

وقد تظهر حوالي كنتيجة للتغيرات المرتبطة بالهرمون في نسيج الجسم مع زيادة في الوزن مما يجعل من دوران الدم في أوردة الساق وصولاً إلى القلب أمراً غاية في الصعوبة كما تسبب زيادة الوزن لدى بعض المرضى المزيد من الضغط في المفاصل والأوردة والتي بدورها يعزل من خطر الإصابة بالحوالي.

وينطوي علاج حوالي بالليزر الموجه بالموجات فوق الصوتية على إدخال مسطرة تعمل ألياف ليزرية موجهة بالموجات فوق الصوتية في الوريد الضامن الكبير أو الوريد الضامن الصغير من خلال شق صغير في الوريد لتصار إلى إزالة.

WAM

[Link](#)

UAE / Online/Daily/ UVM: 10,940

9 January 2018

PR Value: \$3,250

مستشفى زليخة يقدم العلاج الأحدث لدوالي الأوردة التي يعاني منها 20% من سكان العالم



كشفت مستشفى زليخة عن توفر علاج الليزر الوريدي الداخلي (ELT) (Endovenus Laser Treatment)، وهو الحل الأحدث والأفضل لتخفيف أعراض مشكلة الأوردة المتوسعة (الدوالي) الأخذة في الانتشار في أنحاء الإمارات العربية المتحدة والعالم.

وتشير تقديرات المكتبة الوطنية لعلم الطب في الولايات المتحدة الأمريكية إلى إصابة ما يقارب 20% من البالغين بدوالي الأوردة عالمياً، وعلى الرغم من ارتباط هذه المشكلة بالتقدم بالعم، إلا أنها وفي حال لم يتم اتخاذ التدابير العلاجية في مرحلة مبكرة، ستترافق مع أعراض مؤلمة وضعف ناجم عن تورم وانتفاخ القدمين.

وإطلاقاً من حرصه على سلامة الجميع، نجح مستشفى زليخة بعلاج عدد من المرضى باستخدام الليزر الوريدي الداخلي ELT، والذي يشكل إجراءً جراحياً محدوداً غير مؤلم ويستغرق ما بين 30 دقيقة حتى ساعة فقط، ولايستوجب الخضوع لجلسات أخرى، يمكن علاج المرضى بصفتهم في العيادات الخارجية ومغادرة المستشفى حال انتهائهم.

وقد خضع السيد إسلام جويل حكيم البالغ من العمر 41 عاماً لعلاج الليزر في مستشفى زليخة الشارقة بعد أن أتر الألم الشديد والمتزايد في ساقه على حركته، وبعد أن شخصت اختصاصية الجراحة العامة الدكتورة بريا ديفاز حالة أطرافه السفلية والتي تبين إصابتها بتوسع الأوردة (الدوالي)، لتتولى بعد ذلك تنفيذ العلاج بمساعدة طبيب الأشعة الدكتورة سونالي مانور والدكتورة دانسيزي ساماجيتيل.

وقد أوضحت الدكتورة ديفاز بالقول: "اعتمد الجراحون سابقاً إجراء 'ترندلبرج' المفتوح لعلاج الدوالي، والذي يقوم على إحداث شق في الفخذ واستئصال كامل الوريد، إلا أنه إجراء مؤلم للمريض ويتطلب البقاء في المستشفى مدة يوم أو يومين. أما اليوم، بنجح علاج الدوالي بالليزر لنا فرصة علاج الأوردة بإجراء جراحي بالحد الأدنى دون ألم ويمكن القيام به في العيادات الخارجية، وإنه لمن الرائع أن نشهد الراحة الفورية التي يقدمها هذا العلاج للمرضى مثل السيد خان الذي يعاني من الألم المبرحة للدوالي".

غالباً ما تظهر أعراض الدوالي لدى النساء للمرة الأولى خلال فترة الحمل، ومؤخراً، قدم مستشفى زليخة علاج الدوالي بالليزر لامرأة تبلغ 35 عاماً بعد أن عانت من الام الدوالي الناتجة عن 4 حالات حمل.

وقد تظهر الدوالي كنتيجة للتغيرات المرتبطة بالهرمونات في نسيج الجسم مع زيادة في الوزن مما يجعل من دوران الدم في أوردة الساق، وصولاً إلى القلب أمراً غاية في الصعوبة، كما تسبب زيادة الوزن لدى بعض المرضى المزيد من الضغط في القدمين والأوردة، والذي بدوره يعزز من خطر الإصابة بالدوالي.

ينطوي علاج الدوالي بالليزر الموجه بالموجات فوق الصوتية على إدخال قسطرة تحمل ألياف ليزرية موجهة بالموجات فوق الصوتية في الوريد الصافن الكبير أو الوريد الصافن الصغير من خلال شق صغير في الوريد ليصار إلى إزالته، هذا ويستخدم علاج الدوالي بالليزر في علاج اليواسير والناسور والجيوب الأنفية، وقد ينطوي على مضاعفات نادرة كتخثر الأوردة العميقة.

وتجدر الإشارة إلى ضرورة مراقبة الدوالي؛ إذ قد يؤدي تجاهلها إلى مخاطر عديدة بما فيها تمزق الأوردة والنزف الداخلي كنتيجة لصددمات خفيفة وتغير لون الجلد وظهور تقرحات إضافة إلى الألم المزمن وتشوه النسيج وضعوبة في المشي وفقدان مستمر للدم.



Faselah.com

[Link](#)

UAE / Online/Daily/ UVM: 10,709

4 January 2018

PR Value: \$3,250

مستشفى زليخة يقدم العلاج الأحدث لدوالي الأوردة التي يعاني منها 20% من سكان العالم

العلاج البرالي يحسن تخفيف الآثار الجسيمة لمشكلة الدوالي خلال ثلاثين دقيقة

12.02.2018 01-04



كشف مستشفى زليخة عن توفر علاج الليزر البرالي الداخلي (ELT) *Endovenous Laser Treatment* وهو الحل اللطيف والأسهل لتخفيف أعراض مشكلة أوردة التوسع (الدوالي) الأكثر شيوعاً في أنحاء الإمارات العربية المتحدة والعالم.

وتعتبر لتدابير المكافحة الوطنية لمنع النقص في الولايات المتحدة الأمريكية إلى إجمال ما يقارب 40% من البالغين بدوالي أوردة عالمياً. وعلى الرغم من إنبلاء هذه المشكلة بالتقدم بالسر، إلا أنها وفي حال لم يتم اتخاذ التدابير الطبية في حينها يمكنها استنزاف حياجز أوردة مؤلمة ويصعب علاج عن تورم والتهيج المزمين.

ويطلقاً عن جرحه على عمقها المزمين، تحت مستشفى زليخة يتلقى عدد من المرضى باستخدام الليزر البرالي الداخلي ELT والذي يشكل إجراء جراحياً محدثاً غير مؤلم ويستغرق ما بين 30 دقيقة حتى ساعة فقط. وقد يستغرق التعافي لضعفات أخرى. يمكن علاج المرضى بمقتضىهم في العيادات الخارجية ومخاطر المستشفى على التناقص.

وقد كشف السيد إسليم جون حكيم البائع عن الصغر 46 عاماً لطرح الليزر في مستشفى زليخة المشاركة بعد أن أثار اهتمامه الشديد والاهتمام في حالته على حركته. وبعد أن عالجته المستشفى الجراحة الباردة الحكومية بربا حيقان حاك كإجراءه السلبية والتي أثيرت رجايتها بكونها الأوردة (الدوالي) القولى بعد ذلك تنفيذ العلاج بمساعدة طبيب الأشعة الدكتور سولاني ماثور والدكتورة دانيي سماح بقيل.

وقد أوضحت الدكتورة ديفال بالويل "مساعد الدراجون سعياً لإجراء "برينديج" المتطور لعلاج الدوالي، والذي يقوم على إحداث ثقوب في الأوردة واستئصال كامل الوريد إذ أنها إجراء مؤلمة لتسري وتختلف الملاء في المستشفى عدة يوم أو يومين. أنا اليوم، يتبع علاج الدوالي بالليزر لنا فريقة علاج الأوردة بإجراء جرحي بالحد الأدنى جون ألم ويمكن القيام به في العيادات الخارجية، وأنه لمن الرائع أن نتفهد الرابة الثورية التي يحددها هذا العلاج للمرضى على السيد جان الذي يعاني من الآلام المبردة (الدوالي)".

عائلاً ما تظهر أعراض الدوالي لدى النساء للمرة الأولى خلال فترة الحمل، ويجوزاً، قدم مستشفى زليخة علاج الدوالي بالليزر كإجراء تهاو 46 عاماً بعد أن عانت من آلام الدوالي القوية عن 4 حالات على.

وقد تظهر الدوالي ككتلة للشرايين المرئية بالبريموتات في سطح الجسم مع إنباء في الورن بما يجعل من حوران الدم في أوردة الساق ويجعلها إلى قلب أيضاً غاية في الصعوبة، كما تسبب إنباء الورن لدى بعض المرضى التبريد عن المنطقة في القدمين والأوردة والتي تجرد بزل من خطر إنباءها بالدوالي.



Zulekha Hospital
Your Health Matters

Thank You